



Typhoon  
Gas & Welding Equipment

## 2018/2019 Catalogue



# CONTENTS PAGE

|              |                                         |
|--------------|-----------------------------------------|
| <b>1</b>     | <b>Company Profile</b>                  |
| <b>2-4</b>   | <b>Brass Fittings</b>                   |
| <b>5-6</b>   | <b>Uniroll Products</b>                 |
| <b>7-9</b>   | <b>PEX Fittings</b>                     |
| <b>9</b>     | <b>Water PEX Fittings</b>               |
| <b>10</b>    | <b>Copper Fittings</b>                  |
| <b>11-14</b> | <b>Regulators</b>                       |
| <b>14</b>    | <b>Ball Valves</b>                      |
| <b>15</b>    | <b>Signage</b>                          |
| <b>16-18</b> | <b>Valves &amp; Adaptors</b>            |
| <b>19</b>    | <b>Cages &amp; Cabinets</b>             |
| <b>20-21</b> | <b>Geysers</b>                          |
| <b>22-25</b> | <b>Geyser Diagram &amp; Spares List</b> |
| <b>26-28</b> | <b>Blowtorches &amp; Accessories</b>    |
| <b>29-30</b> | <b>Gas Canisters &amp; Cylinders</b>    |
| <b>31-32</b> | <b>Cast Iron &amp; Burners</b>          |
| <b>33-34</b> | <b>Workwear</b>                         |
| <b>34-35</b> | <b>Safety Gear</b>                      |



# COMPANY PROFILE

Typhoon Gas is a company committed to providing quality products produced and backed by internationally renowned suppliers. Partnering with these manufacturers we offer a comprehensive range of products that meet the needs of all our customers.

Now, more than ever, customer service and advice is paramount to the success of any business. At Typhoon Gas we are committed to providing quality products, supported by the best service and advice at all times.



# BRASS FITTINGS

## Compression Connector

57



1/2" - 62X8  
1/4" - 62X4  
1/8" - 62-2  
3/8" - 62X6  
5/16" - 62-05

## Compression Elbow

64



1/2" OD - 65X8  
1/4" OD - 65X4  
1/8" OD - 65-02  
3/8" OD - 65X6  
5/16" OD - 64D

## Compression Tee

53



1/2" OD - 64-08  
1/4" OD - 64-04  
1/8" OD - 64-2  
3/8" OD - 64X6  
5/16" OD - 53D

## Male Connector

59



1/2" OD x 1/2" - 68X8X8  
1/2" OD x 1/4" - 68-08-04  
1/2" OD x 3/8" - 68X8  
1/4" OD x 1/2" - 68-04-08  
1/4" OD x 1/4" - 68X4X4  
1/4" OD x 1/8" - 68-04-02  
1/4" OD x 3/8" - 68-04-06  
3/4" OD x 1/2" - 68-12-8  
3/4" OD x 3/4" - 59JJ

## Reducing Connector

150



1/2" OD x 3/8 OD - 150GE  
3/8" OD x 1/4" OD - 150EC  
3/8" OD x 5/16" OD - 150ED  
1/4" OD x 1/8" OD - 150CA  
5/16" OD x 1/4" OD - 62-5-4

## Female Connector

62



1/2" OD x 1/2" - 66-08-08  
1/2" OD x 1/4" - 103-8-4  
1/2" OD x 3/8" - 66-08-06  
1/4" OD x 1/2" - 66-04-08  
1/4" OD x 1/4" - 66X4X4  
1/4" OD x 1/8" - 66-04-02  
1/4" OD x 3/8" - 66-04-06  
1/8" OD x 3/8" - 66-4-4

## Compression Female Elbow

65



3/8" x 3/8" OD - 65EE  
3/8" x 1/4" OD - 65CE  
3/8" x 1/2" OD - 65GE  
1/4" x 1/4" OD - 65CC  
1/2" x 3/8" OD - 65EG  
1/2" x 1/2" OD - 62GG  
1/4" x 5/16" OD - 65DC

## Male Elbow

54



1/2" x 1/2" OD - 69X8X8  
1/2" x 1/4" OD - 69-4-8  
1/2" x 3/4" OD - 69-12-8  
1/2" x 3/8" OD - 69-06-08  
1/2" x 5/16" OD - 54DG  
1/4" x 1/2" OD - 69-08-04  
1/4" x 1/4" OD - 69X4X4  
1/4" x 3/8" OD - 69-06-04

## Branch Tee

60



1/2" x 1/2" x 1/2" - 60GGG  
3/4" x 1/2" x 3/4" - 60GJ  
3/8" x 3/8" x 3/8" - 60EEE  
5/16" x 1/4" x 5/16" - 60DCD

## Nut

50



1/2" - 61X8  
1/4" - 61X4  
1/8" - 61-2  
3/8" - 61X6  
5/16" - 61X5

## Olive

51



1/2" - 60-08  
1/4" - 60-04  
1/8" - 62-2  
3/8" - 60-06  
5/16" - 60-05

## Hex Plug

82



1/2" - 3152X8  
1/4" - 3152X4  
3/8" - 3152X6  
1/8" - 218-2  
3/4" - 3152-12

## Cap Nut

85



1/2" - 85G  
1/4" - 85C  
1/8" - 85A  
3/8" - 85E

## Reducing Bush

81



1" M x 1/2" F - 81KG  
1" M x 3/8" F - 81KE  
1/2" M x 1/4" F - 3220X8X4  
1/2" M x 1/8" F - 3220-08-02  
1/2" M x 3/8" F - 3220X8X6  
1/4" M x 1/8" F - 3220X04X02

3/4" M x 1/2" F - 3220-12-08  
3/4" M x 1/4" F - 89C  
3/4" M x 3/8" F - 110-12-6  
3/8" M x 1/4" F - 3220X6X4  
3/8" M x 1/8" F - 110-6-2



**Reducing Nipple 88**

1/2"M x 1/4"M - 3325-08-04  
 1/2"M x 3/8"M - 3325-08-06  
 1/4"M x 1/8"M - 3325-04-02  
 3/4"M x 1/2"M - 122-12-8  
 3/8"M x 1/4"M - 3325X6X4  
 3/8"M x 1/8"M - 122-6-2

**Nipple 90**

1/2" - 3325X8  
 1/4" - 3325X4  
 1/8" - 3325-02-02  
 3/4" - 3325-12-12  
 3/8" - 3325-06-06

**Female Socket 92**

1/2" x 1/2" - 3300X8  
 1/4" x 1/4" - 3300X4  
 1/8" x 1/8" - 3300-02-02  
 3/8" x 3/8" - 3300-06-06

**Reducing Male/Female Adaptor 86**

1/2"F x 1/2"M - 3200-0808  
 1/2"F x 1/4"M - 3200-08-04  
 1/2"F x 3/8"M - 3200X8X6  
 1/4"F x 1/8"M - 3200-04-02  
 1/4"M x 1/4"F - 3200X4  
 1/8"F x 1/8"M - 120-2-2  
 3/4"F x 1/2"M - 86JC  
 3/4"F x 3/4"M - 120-12-12  
 3/4"F x 3/8"M - 120-12-6  
 3/8"F x 1/4"M - 3200X6X4  
 3/8"F x 1/8"M - 3200-06-02  
 3/8"F x 3/8"M - 3200-06-06

**Female Elbow 91**

1/2" - 3500-08  
 1/4" - 3500-04  
 1/8" - 3500-02  
 3/4" - 114-12  
 3/8" - 3500X6

**Female Tee 89**

1/2" - 3700X8  
 1/4" - 3700X4  
 1/8" - 3700X2  
 3/8" - 3700X6

**Female Cross 79**

1/2" - 97G  
 1/4" - 97C  
 1/8" - 97A  
 3/4" - 97J  
 3/8" - 97E

**Male Elbow**

1/2" x 1/2" - NF68607  
 3/8" x 3/8" - NF68605

**Male Female Elbow 94**

1/4"M x 1/4"F - 94C  
 3/8"M x 3/8"F - 94E  
 1/2"M x 1/2"F - 94G

**Reducing Socket 96**

3/8"F x 1/4"F - 3300-06-04  
 1/2"F x 1/4"F - 3300-08-04  
 1/2"F x 3/8"F - 33-08-06  
 3/4"F x 1/2"F - 103-12-8  
 3/4"F x 3/8"F - 33-12-6

**Bulk Head w/ Hosetails & Nuts**

100mm - BH001

**T Piece Brass**

BP001

**Y Piece Brass**

BP002

**L Piece Brass**

LPB

**Straight Piece Brass 8mm**

BP004

**Nipple Long 500mm**

1/2"M x 1/2"M - NF69274  
 3/8"M x 3/8"M - NF69283

**Running Nipple**

1/2" x 100mm - 1012886  
 1/2" x 50mm - 1071283



### Male to Hosetail



1/2" - M12  
1/4" - M14  
1/8" - M18  
3/8" - M38

### Female to Hosetail



1/2" - F12  
1/4" - F14  
1/8" - F18  
3/8" - F38

### Female Hosetail 90 deg.



1/2" - I422

### Compression to Hosetail



3/8"OD - COMP 3/8ODXHOSE  
1/2"OD - 1/2C X HT  
1/4"OD - 1/4C X HT  
5/16"OD - R35

### Bulkhead Compression



3/8"OD - B8-6-6

### 15mm Solder Fitting



3/8"OD - COMP 3/8ODXHOSE  
1/2"OD - 1/2C X HT  
1/4"OD - 1/4C X HT  
5/16"OD - R35

### Inverted Flare



DES2C/0

### Rubber Hose Clamp



15mm - ELG16  
22mm - ELG22

### Pneumatic Straight Male



PC-0601

### Pneumatic QRC Coupler Body



ANI0600

### Pneumatic QRC Female Nipple



1/4 BSP - ANI1530  
3/8 BSP - ANI1533

### Pneumatic QRC Male Nipple



1/4 BSP - ANI1537  
3/8 BSP - ANI1543  
1/2 BSP - ANI1540

### Pneumatic QRC Quick Coupler Body & Tail



ANI0850

### Pneumatic QRC Tailpiece Nipple



6mm - ANI1510  
8mm - ANI1515

### Pneumatic Male Elbow Connector



PL-0601

### Pneumatic Tubing Blue



PUT06 BLUE

# UNIROLL PRODUCTS

**Male Tee**

1/2" - 55128  
3/4" - 55228



**Elbow**

1/2" - 55126  
3/4" - 55226



**Fitting Set**

1/2" - 1120/1/2/3  
3/4" - 13400/1/2/3



**Reducing Nipple**

1/2" x 3/4" - 56108



**Nipple**

1/2" - 11203  
3/4" - 13403



**Nut**

1/2" - 11202  
3/4" - 13402



**Copper Retain Ring**

1/2" - 11201  
3/4" - 13401



**Brass End Ring**

1/2" - 11200  
3/4" - 13400



**Rubber Gasket**

1/2" - 65125



**Male / Female Ball Valve**

1/2" - 84540  
3/4" - 84541



**Manifold 2**

55230



**Manifold 3**

L1216\*1/2  
L2025\*1/2





### Unisuper 75-130mm

1/2" - 60120  
3/4" - 60200




### F/F Stainless Steel Hose

1500mm - 315415, 1250mm - 315412,  
750mm - 315406, 500mm - 68220



### M/F Stainless Steel Hose

1500mm - 315515, 1250mm - 315512,  
750mm - 315506, 500mm - 315506



### Uniroll 1/2" 4m Complete Kit

11208



### Heat Tape 15m

10000



### Fischer Clamps - Blister Pack 1/2"

504625



### Corrugated Pipe (Per Roll/Per Meter)

1/2" - 11230  
3/4" - 13430



**1** Cut the hose to your preferred length and remove approximately 2.5cm of facing from both sides

**2** Insert the proper nut and position the end ring on second wave of corrugated hose

**3** Bring the nut to contact of end ring

**4** Insert the proper metallic washer

**5** Connect at system or a nipple with end-stop and tighten so that the flare connection of corrugated hose retains between the two rings

**6** Use special equipped adhesive tape, heat resistant to 105C to seal the metallic parts. To prevent damage and corrosion use a double layer



# PEX FITTINGS

## Ball Valve to Hosetail - No Crimp

S1216\*T10-DN10



## Ball Valve Male

G1216BV x 3/8M



## Ball Valve to Hosetail

G1216B-HOSE



## Ball Valve with Butterfly Handle

1216 - Q1216\*1216  
1620 - Q1620\*1620  
2025 - Q2025\*2025



## Female Tee

T1216\*1/2F\*1216



## Equal Tee

1216 - T1216\*1216  
1620 - T1620\*1620\*1620  
2025 - T2025\*2025\*2025



## Unequal Tee

T1216\*2025\*1216  
T20\*16\*20  
T2025\*1216\*2025



## Male Tee

T1216\*1216\*1216



## Equal Elbow

L1216\*1216  
L1620\*1620  
L2025\*2025



## Female Elbow

L1216\*1/2F  
GFITFE20\*1/2  
L2025\*1/2F



## Unequal Elbow

GFITRE25\*20  
L2025\*1216



## Male Elbow

L1216\*1/2  
L2025\*1/2  
L1216\*3/8



## Female Union

S1216\*1/2F  
S1620\*3/4F  
S2025\*1/2F  
L2025\*1/2F  
GFITU20\*1/2



## Demountable Female Union

S1216\*1/2F(H)  
KB2025\*1/2F(KB)  
S1620\*3/4(H)  
S2025\*3/4F(H)



## Male Union

S1216\*1/2  
S1216\*3/8M  
S1216\*1/4M  
S1620\*1/2  
S1620\*3/4  
S2025\*1/2  
S2025\*3/4M



## 8mm Hosetail Union

S1216\*HOSETAIL  
S1620\*HOSETAIL



## End Cap

1216 - D1216  
2025 - D2025



## Sleeve

1216 - 1216A  
1620 - KB1620  
2025 - 2025A



### Equal Straight Union

S1216\*1216  
S2025\*2025  
1620 - GFITSU20



### Unequal Straight Union

S1620\*1216  
S2025\*1216



### Straight Multi Welded Fittings

S1216\*1/2CUF



### Female Ball Valve

PBV1216-1/2F



### Connector Core

F1-C1216\*1/2A



### PEX Manifold 2R

FS5-3/4\*1/2\*2R



### PEX Manifold 3R

FS5-3/4\*1/2\*3R



### PEX Manifold 4R

FS5-3/4\*1/2\*4R



### Closed Socket

1216 - KB-1216-W  
1620 - KB-1620  
2025 - KB-2025-W



### Open Socket

1216 - KK-1216-W  
1620 - KK-1620-W  
2025 - KK-2025-W



### O - Ring

1216 - 1216O  
1620 - 1620O  
2025 - 2025O



### Baffle

1216 - 1216BY  
1620 - 1620BY  
2025 - 2025BY



### Reamer

ZYD2-16-20-25



### Insert

1216 - YYQB1216  
1620 - YYQB-1620  
2025 - YYQB-2025



### Pipe Clamp 23mm

RPC812020



### Pipe Clamp 20mm

RPC015-019



### Inner Bending Spring

WH-1216  
WH-1620  
WH2025



### Outer Bending Spring

WH-1216II  
WH-20II  
Wh202511  
GFITEBS16-20



### Composite Pipe Cutter



PC-207

### Gas Composite Pipe



GG1216-001 (KB)  
G1216 (RF)  
GFITPAP20\*2.0  
KB-2025 (KB)  
G-2025 (RF)

### Water Composite Pipe



B-1216(WHITE)  
WATER1620  
WATER2025

### Manual Pressing Clamp Set



SYQ14-32A

### Manual Pressing Clamp Set



GFITMPT 16-32

# WATER PEX FITTINGS

### Ball Valve with Butterfly Handle



2025 - WATERQ2025\*2025  
1216 - WATERQ1216\*1216  
1620 - WATERQ1620\*1620

### Demountable Female Union



1216 1/2F - WATERS1216x1/2FH  
1620 3/4F - WATERS1620\*3/4FH  
2025 3/4F - WATERS2025\*3/4FH

### Equal Elbow



1216 - WATERL1216\*1216  
1620 - WATERL1620\*1620  
2025 - WATERL2025\*2025

### Male Union



1216 1/2M - WATERS1216x1/2M  
1620 3/4M - WATERS1620\*3/4M  
2025 3/4 - WATERS2025\*3/4M

### Female Union



1620 3/4F - WATERS1620\*3/4F

### Equal Tee



1216 - WATERT1216\*1216  
1620 - WATERT1620\*1620  
2025 - WATERT2025\*2025



# COPPER FITTINGS

## Copper Coupling



1/2" - RSJ1021  
1/4" - RSJ1019  
3/4" - RSJ1022  
3/8" - RSJ1020  
15mm - 1013131  
22mm - 1013132

## Copper Reducer



1/4" - 3/8" - RSJ1037  
3/8" - 1/2" - RSJ1080  
5/8" - 1/2" - RSJ1082  
22-15mm - 1013143  
28-22mm - 1013144

## Copper Saddle



1/2" - RSJ1952  
1/4" - RSJ1950  
3/8" - RSJ1951  
15mm - RSJ1953  
22mm - RSJ1955

## Copper Elbow 90 deg.



1/2" - RSJ1347  
1/4" - RSJ1344  
3/8" - RSJ1345  
5/8" - RSJ1349  
15mm - 1013149  
22mm - 1013150  
28mm - TCE28

## Copper Elbow 45 deg.



15mm - 1013153  
22mm - 1013154

## Copper Equal Tee



1/2" - RSJ1631  
1/4" - RSJ1625  
3/8" - RSJ1628  
15mm - 1013163  
22mm - 1013164

## Copper Unequal Tee 22x22x15mm

1013168



## Copper Unequal Tee 15x15x22mm

1013167



## Copper Unequal Tee 22x15x22mm

1013170



## Copper Unequal Tee 28x28x22mm

1013169



## Copper Female Swivel 15mm

15mm Female - KC15SS



## Copper Hard Drawn Tubing (To Order)



CLASS 2 -  
15mm - 032770  
CLASS 1 -  
1/2" - RSA0020  
3/8" - RSA0019  
15mm - 1011428  
22mm - 032768  
28mm - 032769  
CLASS 0 -  
15mm - 1011419  
22mm - 032765

## Copper Tube (Per Roll/Per Meter)



1/2" - RSA0014A  
1/4" - RSA0011A  
3/8" - RSA0013A  
3/16" - RSA0010  
5/16" - RSA0012A





# REGULATORS

**Bullnose Regulator (SA5)**

KC1005BL



**Swivel Regulator (SA3)**

KC1005LR



**Trojan/CGAS 4kg Regulator (SA4)**

SA 4 -4KG



**Red Baron 10.5kg Regulator**

180099/CREM



**Astro 4kg In Line Regulator**

CREM/ASTR



**Mondial 4kg Regulator**

MON4-10/RED



**MEGR-130 HP 20kg Regulator**

MEGR130 HP



**Auto Low Pressure 6kg Regulator**

ACR6



**Cavagna 2 Stage 15kg Regulator**

9818900015



**Cavagna HP 48kg Regulator**

03020003



**MEGR-122H 24-30kg Regulator**

160072



**Cavagna Auto C/O 9.7kg Regulator**

5218900032



**Auto C/O 7kg Regulator**

180825/C-OVER



**High Pressure 60Psi 5kg Regulator**

HR 5020



**Red Devil HP 8kg Regulator**

66-111310-11



**GCE401 High Pressure Regulator**

GCE401-MBRACK

**High Pressure H33 8kg Regulator**

H33-HPCGAS

**REGO 5503 B4 Second Stage Reg**

REGOLV5503B4

**REGO 4403 12kg Regulator**

1st Stage - REGO LV-4403-C2  
2nd Stage - REGOLV-4403-B4

**MEGR-291 Two Stage 6kg Regulator**

180808/TT

**CREM Single Stage 12kg Regulator**

CREM-712-S

**REGO High Pressure 10kg Regulator**

7525-TD-REGO

**Cavagna Second Stage LP 10kg Reg**

7318900078

**Red Devil HP 60Psi Regulator**

66-111310-1HR

**Maxxiline 0-5 Bar Regulator**

MAXXILINE REG M

**1/4 NPT Vapour Pigtail**

500mm - KC1005P  
1m - REGOB-2405-HFL

**Liquid Pigtail**

500mm - DIPT4  
1m - PT5

**1/4 Inverted Flare Pigtail**

500mm - PT1  
1m - PT6

**1/4 Male x 1/4 Male NPT Pigtail**

SH 1/4-1.2 MTR

**Trojan/CGAS 4kg Single with Pigtail/Bracket**

SA-4 SG

**ASTRO Single 4kg with Bracket/Pigtail**

KC1001AST

**Mondial 4kg Single with Pigtail/Bracket**

MON4-10/RED SG

**Change Over Valve**

KC1005V

**Red Baron 10.5kg Change Over**

180099/CREM/C/O

**Astro 4kg Manual Change Over**

CREM/ASTR/CO

**Mondial 4kg Change Over Complete**

MON4-10/RED C/O

**MEGR130 HP 20kg Change Over**

MEGR130 HP C/O

**Trojan/CGAS 4kg Change Over**

SA-4 C/O

**Trojan/CGAS 4kg Change Over**

SA-4 C/O

**GCE401 HP Change Over Complete**

GCE401-C/O

**Cavagna 10kg Complete Change Over**

7318900078C0

**Wall Bracket for C/O Regulator**

KC1005W

**Wall Bracket for Commercial**

03510002

**Stainless Steel Manifold**2x2 Single - D2S/SV/SINGLE, 2x2 - D2S/SV,  
3x3 - D3S/SV**Compact Manifold**3x3 - MF-3VC, 4x4 - MF-4VC, 5x5 - MF-5VC,  
6x6 - MF6VC, 8x8 - MF8VC, 10x10 - MF10VC**Liquid Manifold**

2x2-M F2L, 3x3-M F3L, 4x4-M F4L, 5x5-KC303-5L, 10x10-M F10L

**Vapour Manifold**2x2 Single - MF2V/SINGLE, 2x2 - KC303-2,  
3x3 Single - MF3V/SINGLE, 3x3 - MF3V, 4x4 - KC303,  
5x5 - KC303-5, 10x10 - KC303-10**Wall Bracket for Manifolds**

MFWB01

**LPG Filter 1/2" 50 micron 10 Bar**

02010001

**LPG Filter 1" 50 micron 10 Bar**

02010005

**Typhoon Gas Safety Gauge**

GSGSA





Trojan Gauge 0-250kPa

W0611063/0010K



Trojan Gauge 0-10kPa

PCKA68BB02QC2



Trojan Gauge 0-2500kPa

W0611063/2500



Trojan Gauge 0-8 Bar

PBGA63BB00Q80



Testing Kit with Gauge

TESTKT

Gas Meter G4 6m<sup>3</sup>/hr Max 200kPa

08010010



Wall Bracket for Meter

BRGE-1031



Brass Connector for Gas Meter

08010032



Rubber Washer for Gas Meter

06060004



## BALL VALVES

Butterfly Ball Valve

1/2" - ITB118015  
 1/4" - ITB118008  
 3/4" - ITB068008  
 3/8" - ITB118010  
 1" - 320210



Long Handle Ball Valve

1/4" - GBV8  
 3/8" - GBV10  
 1/2" - GBV15  
 3/4" - BV34L  
 1" - ITB066025  
 1.5" - ITB066040



Male / Female Butterfly Ball Valve

1/2" F x 1/2" M - ITB  
 1/4" F x 1/4" M - ITB069008  
 3/8" F x 3/8" M - ITB069010



Superfilter Long Handle

1/2" - 014006



Spare Butterfly Lever 5

50mm - 035202G  
 60mm - 035204G



Spare Long Lever

84mm - 035102G  
 102mm - 035105G



# SIGNAGE

AVAILABLE IN REFLECTIVE AND CUSTOM SIZES

## No Smoking

150mm - PV01-150ABS, 190mm - PV01-190ABS,  
290mm - PV01-290ABS



## No Open Flames

150mm - PV02-150ABS, 190mm - PV02-190ABS,  
290mm - PV02-290ABS



## No Cellphone

150mm - PV27-150ABS, 190mm - PV27-190ABS,  
290mm - PV27-290ABS



## No Pedestrians

150mm - PV03-150ABS, 190mm - PV3-190ABS,  
290mm - PV03-290ABS



## Combination Sign

300x210mm - GRP-02, 400x300mm - GRP-01



## Fire Extinguisher

290mm - PB02-290ABS, 190mm - FB02-190ABS



## Fire Hose

190mm - FB03-190ABS



## Running Man Left/Right

Left: 290mm - GA3-290ABS,  
Right: 290mm - GA4-290ABS



## Arrow

Green: 190mm - GA2-190ABS, 290mm - GA2-290ABS  
Red: 190mm - FB01-190ABS



## Emergency Action Plan - LP Gas Leak

GRP01300



## Emergency Assembly Point

290 ABS - GA26-290ABS, 440 ABS - GA26-440ABS



## Stickers for Gas Line - Oxygen

SIGN04




## Stickers for Gas Line - DA

SIGN05



## Stickers for Gas Line

SIGN03



## Emergency Shut Off Valve

GRP03



## LP Gas Shut-Off Valve

100x90mm - GRP02 TS  
190x190mm - GRP01 TS



# VALVES & ADAPTORS

CA6 Valve for Stove

I432



CA6 Valve for Stove Red Knob

G3608/R



In Line Shut Off Valve 8mm

VAL1



Valve for CF100 Boiling Table

CF100VL



Adaptor - Cadac to Hosetail

G0825



Adaptor - Tank L Shape

G082C



Omega Valve

G084



Control Valve w/ Control Knob

V-135



Cylinder Valve - 34-5/8NGT w/ SABS

80B29000520



Shoulder Arm B/N Adaptor

9KG/EXT



Cadac to Cadac Adaptor

ADA2



Cadac to Bullnose Adaptor

G086C



Bullnose to Cadac Adaptor

G085C



Fitting for Manifold 1/2M RH x 5/8 LH

GGE/144 MA



Adaptor Female to 1/4F Forklift/Hyster

REGAL-7141-F





### Pressure Relief Valve

17 Bar - GCE501-250  
25 Bar - GCE501-375



### PRV Pressure Release Valve Manifold

PRV01



### Manifold Fitting - 1/2MxF B/N L/H

G86-GG



### Quick Coupler Brass NPT

1/4 - CQ1/4 BRASS NPT  
3/8 - CQ3/8 NPT BRASS



### Control Spindle

CYLSP8



### Filling Connector 5/8"LH x 1/4"NPT

GCE193



### Forklift Filling Adaptor Long

GCEEGCE-182  
GCE182-L



### Mapp to 9/16 LH Adaptor

LP-D



### Mapp Gas to 7/16 Converter

MTA LP-F



### Adaptor - Cadac to 7/16

ADA2/A



### Adaptor - 7/16 to Cadac Brass

ADA17  
ADA/7/16/A



### Bullnose 5/8 BSP to 1/4 Male H/Wheel

GCEEGCE-104



### 3/8 BSP Male x 1/8 NPT Male Swivel

GCEEGCE-122



### Adaptor - Bullnose to Hosetail

ADA6



### Oetiker Clamp

14-17mm - D14  
5-7mm - DE05



**Hose Clamp - GM4 10-16mm**

N010-16/8,5W1

**Wall Bracket for Commercial**

03510002

**Cylinder Key**

AI257/262

**Full Nose Cone Washer**

G025F

**Half Nose Cone Washer**

G0250

**Sealing Forklift/Hyster Washer**GCE122-55  
G089A**"O" Ring For Pigtail 1/4"**

DGE0024/PT

**"O" Ring For Bullnose Reg**

G0250

**Hurricane O Ring**

HURR/O

**Spindle "O" Ring Washer**

WASH/6/S

**Green Fibre Washer**G077  
3 Pack - G077 X 3**1/4 M x Forklift/Hyster Adaptor**

GCEEGCE-7141

**Quick Acting Valve Adaptor**

GCEEGCE-685

**Check Back Valve Adaptor**

GCEEGCE-691

**Female to 1/4F Forklift/Hyster**

REGAL-7141-F

**Needle Valve 1/4M x 1/4M NPT**

GCF-654



# CAGES & CABINETS

**Cabinet Geyser**

800x550x500=CAB03



**Bosch Weatherbox**

11L - 8732100101  
14L - 8732100102  
18L - 8732100102



**Single Flat Box Cage Powder Coated**

9kg - TR059



**Single Flat Box Cage Powder Coated**

19kg - TR0519  
48kg - TR018



**Double Flat Box Cage Powder Coated**

48kg - TR0D48



**Double Flat Box Cage Powder Coated**

9kg - TR0D9  
19kg - TR0D19



**Single Aluminium Cage**

9kg - CAGE 1x9ALU  
19kg - CAGE 1x19  
48kg - CAGE 1x48



**Double Aluminium Cage**

9kg - CAGE 2x9  
19kg - CAGE 2x19  
48kg - CAGE 2x48





# GEYSERS



| TYPHOON BATTERY                                                                      |                            |         |         |         |         |
|--------------------------------------------------------------------------------------|----------------------------|---------|---------|---------|---------|
|                                                                                      |                            | 5.5L    | 6L      | 12L     | 16L     |
| Ignition Type                                                                        |                            | Battery | Battery | Battery | Battery |
| Gas Type                                                                             |                            | LPG     | LPG     | LPG     | LPG     |
| Single Point                                                                         | Kitchen Sink               |         | ★       |         |         |
|                                                                                      | Wash Basin                 |         | ★       |         |         |
|                                                                                      | Shower                     |         |         | ★       |         |
|                                                                                      | Bath                       |         |         | ●       | ★       |
| Multi                                                                                | Wash Basin + Shower        |         |         | ●       | ★       |
|                                                                                      | Shower + Bath + Wash Basin |         |         | ●       | ★       |
| Output (kW)                                                                          |                            |         | 12      | 24      | 32      |
| Gas Consumption                                                                      |                            |         | 1.062   | 1.95    | 2.86    |
| Choosing the right model (■ - suitable / ● - recommended / ★ - for best performance) |                            |         |         |         |         |



| TYPHOON CONSTANT                                                                     |                            |          |          |
|--------------------------------------------------------------------------------------|----------------------------|----------|----------|
|                                                                                      |                            | 12L      | 16L      |
| Ignition Type                                                                        |                            | Constant | Constant |
| Gas Type                                                                             |                            | LPG      | LPG      |
| Single Point                                                                         | Kitchen Sink               |          |          |
|                                                                                      | Wash Basin                 |          |          |
|                                                                                      | Shower                     |          |          |
|                                                                                      | Bath                       |          |          |
| Multi                                                                                | Wash Basin + Shower        |          |          |
|                                                                                      | Shower + Bath + Wash Basin |          | ■        |
| Output (kW)                                                                          |                            | 24       | 32       |
| Gas Consumption                                                                      |                            | 1,7      | 2,1      |
| Choosing the right model (■ - suitable / ● - recommended / ★ - for best performance) |                            |          |          |



| TYPHOON FAN FORCED                                                                   |                            |            |            |
|--------------------------------------------------------------------------------------|----------------------------|------------|------------|
|                                                                                      |                            | 12L        | 26L        |
| Ignition Type                                                                        |                            | Fan Forced | Fan Forced |
| Gas Type                                                                             |                            | LPG        | LPG        |
| Single Point                                                                         | Kitchen Sink               | ★          | ★          |
|                                                                                      | Wash Basin                 | ★          | ★          |
|                                                                                      | Shower                     | ★          | ★          |
|                                                                                      | Bath                       | ★          | ★          |
| Multi                                                                                | Wash Basin + Shower        | ★          | ★          |
|                                                                                      | Shower + Bath + Wash Basin | ★          | ★          |
| Output (kW)                                                                          |                            |            | 50         |
| Gas Consumption                                                                      |                            |            | 2,8        |
| Choosing the right model (■ - suitable / ● - recommended / ★ - for best performance) |                            |            |            |



| BOSCH HYDRO & BATTERY                                                                |                            |          |          |         |          |          |
|--------------------------------------------------------------------------------------|----------------------------|----------|----------|---------|----------|----------|
|                                                                                      |                            | 11L      |          | 14L     | 18L      |          |
| Ignition Type                                                                        |                            | Battery  | Hydro    | Battery | Battery  | Hydro    |
| Gas Type                                                                             |                            | NG & LPG | NG & LPG | LPG     | NG & LPG | NG & LPG |
| Single Point                                                                         | Kitchen Sink               | ★        | ★        |         |          |          |
|                                                                                      | Wash Basin                 | ★        | ★        |         |          |          |
|                                                                                      | Shower                     | ★        | ★        |         |          |          |
|                                                                                      | Bath                       | ■        | ■        | ●       | ★        | ★        |
| Multi                                                                                | Wash Basin + Shower        | ■        | ■        | ●       | ★        | ★        |
|                                                                                      | Shower + Bath + Wash Basin |          |          | ●       | ●        | ●        |
| Output (kW)                                                                          |                            | 19.2     | 19.2     | 24.4    | 37.9     | 27.9     |
| Gas Consumption                                                                      |                            | 1.9      | 1.9      | 2.2     | 2.6      | 2.6      |
| Choosing the right model (■ - suitable / ● - recommended / ★ - for best performance) |                            |          |          |         |          |          |



| BOSCH OPTIFLOW                                                                       |                            |            |            |
|--------------------------------------------------------------------------------------|----------------------------|------------|------------|
|                                                                                      |                            | 20L        | 26L        |
| Ignition Type                                                                        |                            | Fan Forced | Fan Forced |
| Gas Type                                                                             |                            | LPG        | LPG        |
| Single Point                                                                         | Kitchen Sink               | ★          | ★          |
|                                                                                      | Wash Basin                 | ★          | ★          |
|                                                                                      | Shower                     | ★          | ★          |
|                                                                                      | Bath                       | ★          | ★          |
| Multi                                                                                | Wash Basin + Shower        | ★          | ★          |
|                                                                                      | Shower + Bath + Wash Basin | ★          | ★          |
| Output (kW)                                                                          |                            | 33,9       | 45         |
| Gas Consumption                                                                      |                            | 2,9        | 3,9        |
| Choosing the right model ( ■ - suitable / ● - recommended / ★ - for best performance |                            |            |            |



| ATLAS CONSTANT                                                                       |                            |          |
|--------------------------------------------------------------------------------------|----------------------------|----------|
|                                                                                      |                            | 16L      |
| Ignition Type                                                                        |                            | Constant |
| Gas Type                                                                             |                            | LPG      |
| Single Point                                                                         | Kitchen Sink               |          |
|                                                                                      | Wash Basin                 |          |
|                                                                                      | Shower                     |          |
|                                                                                      | Bath                       |          |
| Multi                                                                                | Wash Basin + Shower        |          |
|                                                                                      | Shower + Bath + Wash Basin | ■        |
| Output (kW)                                                                          |                            | 32       |
| Gas Consumption                                                                      |                            | 2,6      |
| Choosing the right model ( ■ - suitable / ● - recommended / ★ - for best performance |                            |          |




| ATLAS FAN FORCED                                                                     |                            |            |            |
|--------------------------------------------------------------------------------------|----------------------------|------------|------------|
|                                                                                      |                            | 20L        | 28L        |
| Ignition Type                                                                        |                            | Fan Forced | Fan Forced |
| Gas Type                                                                             |                            | LPG        | LPG        |
| Single Point                                                                         | Kitchen Sink               | ★          | ★          |
|                                                                                      | Wash Basin                 | ★          | ★          |
|                                                                                      | Shower                     | ★          | ★          |
|                                                                                      | Bath                       | ★          | ★          |
| Multi                                                                                | Wash Basin + Shower        | ★          | ★          |
|                                                                                      | Shower + Bath + Wash Basin | ★          | ★          |
| Output (kW)                                                                          |                            | 40         | 40         |
| Gas Consumption                                                                      |                            | 2,85       | 2,85       |
| Choosing the right model ( ■ - suitable / ● - recommended / ★ - for best performance |                            |            |            |



| ATLAS BATTERY                                                                        |                            |           |         |         |         |         |         |
|--------------------------------------------------------------------------------------|----------------------------|-----------|---------|---------|---------|---------|---------|
|                                                                                      |                            | 5.5L & 6L | 8L      | 10L     | 12L     | 16L     | 20L     |
| Ignition Type                                                                        |                            | Battery   | Battery | Battery | Battery | Battery | Battery |
| Gas Type                                                                             |                            | LPG       | LPG     | LPG     | LPG     | LPG     | LPG     |
| Single Point                                                                         | Kitchen Sink               | ★         |         |         |         |         |         |
|                                                                                      | Wash Basin                 | ★         |         |         |         |         |         |
|                                                                                      | Shower                     |           | ■       | ●       | ★       |         |         |
|                                                                                      | Bath                       |           |         | ■       | ●       | ★       |         |
| Multi                                                                                | Wash Basin + Shower        |           |         |         | ●       | ★       |         |
|                                                                                      | Shower + Bath + Wash Basin |           |         |         |         | ●       | ★       |
| Output (kW)                                                                          |                            | 12        | 16      | 20      | 24      | 32      | 40      |
| Gas Consumption                                                                      |                            | 0.88      | 1.19    | 1.48    | 1.95    | 2.6     | 1.9     |
| Choosing the right model ( ■ - suitable / ● - recommended / ★ - for best performance |                            |           |         |         |         |         |         |

# GEYSERS EXPLODED VIEW



## GEYSERS SPARE PARTS LIST

| Parts Picture                                                                       | Parts Name | Specifications & Sizes |
|-------------------------------------------------------------------------------------|------------|------------------------|
|  | Chimney    | 6 litre                |
|                                                                                     |            | 8 Litre                |
|                                                                                     |            | 10 litre               |
|                                                                                     |            | 12 Litre               |
|                                                                                     |            | 16 Litre               |
|                                                                                     |            | 20 Litre               |
|  | Radiators  | 6 Litre                |
|                                                                                     |            | 8 Litre                |
|                                                                                     |            | 10 litre               |
|                                                                                     |            | 12 Litre               |
|                                                                                     |            | 16 Litre               |
|                                                                                     |            | 20 Litre               |



|                                                                                     |                                   |                |
|-------------------------------------------------------------------------------------|-----------------------------------|----------------|
|    | Jets Bar                          | 6 litre        |
|                                                                                     |                                   | 8 Litre        |
|                                                                                     |                                   | 10 litre       |
|                                                                                     |                                   | 12 Litre       |
|                                                                                     |                                   | 16 Litre       |
|                                                                                     |                                   | 20 Litre       |
|    | Burners                           | 6 litre        |
|                                                                                     |                                   | 8 Litre        |
|                                                                                     |                                   | 10 litre       |
|                                                                                     |                                   | 12 Litre       |
|                                                                                     |                                   | 16 Litre       |
|                                                                                     |                                   | 20 Litre       |
|   | Valve Control Assemblies Complete | 6 litre        |
|                                                                                     |                                   | 8 Litre        |
|                                                                                     |                                   | 10 litre       |
|                                                                                     |                                   | 12 Litre       |
|                                                                                     |                                   | 16 Litre       |
|                                                                                     |                                   | 20 Litre       |
|  | Controllers                       | 6 litre        |
|                                                                                     |                                   | 8/10/12 Litre  |
|                                                                                     |                                   | 16 Litre       |
|                                                                                     |                                   | 20 Litre       |
|  | Temperature Sensors               | 75             |
|                                                                                     |                                   | 85             |
|                                                                                     |                                   | 140            |
|  | Battery Box                       | Universal Size |
|  | Ignitor Pins, Left and Right      | Universal Size |

|                                                                                     |                          |                 |
|-------------------------------------------------------------------------------------|--------------------------|-----------------|
|     | Diaphragms (white)       | Dia 54mm        |
|                                                                                     |                          | Dia 72mm        |
|                                                                                     |                          | Dia 87mm        |
|    | Diaphragm Plastic backer | Dia 38mm        |
|                                                                                     |                          | Dia 52mm        |
|                                                                                     |                          | Dia 61mm        |
|    | Diaphragm Plunger        | 6-8 Litre       |
|                                                                                     |                          | 10-12 Litre     |
|                                                                                     |                          | 16 Litre        |
|   | Grade A Solenoids        | Small           |
|                                                                                     |                          | Big             |
|  | Adjustment Knobs         | Universal Size  |
|  | LCD Screens              | Universal Size  |
|  | Flue Pipe                | 90mm            |
|                                                                                     |                          | 110mm           |
|                                                                                     |                          | 130mm           |
|  | 'O'Ring kits Radiato     | 6L 8L 10L12L16L |

|                                                                                     |                                       |                |
|-------------------------------------------------------------------------------------|---------------------------------------|----------------|
|     | Micro-switch                          | Universal Size |
|    | Micro-switch Holder                   | Universal Size |
|    | ON/OFF Switches with protection cover | Universal Size |
|   | Non-Return Valves                     | Universal Size |
|  | Flame Sensor Pin                      | Universal Size |
|  | Outlet temperature sensor             | Universal Size |
|  | Pig-tail                              | Universal Size |



# BLOWTORCHES & ACCESSORIES

**Typhoon 100P**

TYPH100P



**Typhoon 100M**

TYPH100M



**7/16 Torch Handle Only**

M - TYPH7/16M  
P - THYP7/16



**Typhoon Set 2**

TYPHSET2



**Woodstarter**

Cartridge Type - W-Starter001  
Cylinder Type - W/Starter CYL



**Torch with Economiser**

1044L



**Torch with 3 Burners & Hose**

1004K



**Torch Set with 3 Burners & Hose**

1006K



**Torch Set with 3 Burners**

JET-120



**Torch w/ 45mm Burner**

1060L



**Torch with 60m Burner**

1071L



**Torch with 60mm Burner**

1071LP



Torch w/ Handle, Hose, HP Regulator

1071LKR



PRO Torch with 2 Turbo Nozzles

1074LKR



PRO Torch with Nozzle, Hose & Reg

1073LKR



Pencil Torch - 3-1 Soldering Iron

PT230



Jewellery Torch Micro Complete

UW-1251-JW



Pencil Torch

PT130



Trojan RTM-027 Mapp Torch w/ Hose

RTM-0275



Trojan RTM-030 Torch - Piezo

TSM3000TSM



Mapp Torch Brass Head Only

WT-1



### Bernzomatic Oxygen/Mapp Brazing Kit

BERNZ00X2550



### 7/16 Brass Torch Head

TYP7/16 BRASS



### 3 Arrow Torch Handle with Economizer

UW-1755-A



### 3 Arrow Extension Neck Tube

90mm - UW-180MM-EXT  
170mm - 65-220517-11  
750mm - 65-220372-11



### 3 Arrow Nozzle

32mm - 63-500332-11  
42mm - UW-44MMHN



### 19-22m 3-Arrow Nozzle

63-500319-11



### Culinary Torch Black

MT6801/BLK



### Culinary Torch Blue

MT6801



### Executive Chefs Torch

HT-911



### Chefs Torch Steel

CT-60005



### Chefs Torch Black Handle

CT-6000BK



### Pocket Torch - Clear Body

F51



### Lighter: Cricket

M24009





# GAS CANISTERS & CYLINDERS

220gr Cartridge

CGV220E



425gr Cartridge

CGV425E



100gr Cartridge

CGV100E



190g Piercable Cartridge

CG190



210g Cartridge

CGV210LE



330g Cartridge

CGV330LE



230gr Stove Cartridge

CGV230LC



145gr Lighter Gas Refill

CGR145



Benzomatic Mapp Cylinder

MG9



## Benzomatic Propane Cylinder



Tx9

## Benzomatic Oxygen Cylinder



CO2XY01

## Disposable Nitrogen Cylinder



MAX- N2

M10x1 - 100 Bar  
100% Compressed  
Nitrogen

## Disposable Argon Cylinder



MAX-ARGON

M10x1 - 100 Bar  
100% Argon


## Disposable Ar 98%/Oxy 2% Cylinder



MAX-ARGON/OXY

M10x1 - 100 Bar  
98% Argon - 2% Oxygen

## Disposable CO2 Cylinder



MAX-CO2

M10x1 - 100 Bar  
100% CO2

## CO2 Regulator

TR-47 -40 FOR CO2



Model Number: TYP-CO2/N2/ARG  
Model Name: CO2 Regulator  
Inlet Pressure: 0-100 Bar  
Outlet Pressure Range: 0-10 Bar  
Max Flow Liter/min: ≥ 50L/min  
Safety Valve: 13-14 Bar  
Outlet Connection: G1/8  
Gauge Connection: G1/8  
Compatible Gases: CO2, Argon, Nitrogen, O2  
Cylinder Connection: M10X1  
In Compliance with the Standard: EN ISO 2503:2010

## Industrial Cylinder



Argon 10L COC - 20-000  
Nitrogen 10L COC - 20-001  
CO2 10L COC - 20-002  
Arcal Speed 10L COC - 20-003  
Medical Oxyg. 10L COC - 20-004

## APPLICATION

Argon Gas: Welding  
Nitrogen Gas: Wine Dispensing Systems  
Preservation Equipment  
Refridgeration Industry  
CO2 Gas: Beverage Use

\*Technical Specifications & safety data sheet available on request

# CAST IRON & BURNERS

Boiling Table Single Burner



BOIL/T1

Boiling Table 2 Burner



BOIL/T2

Boiling Table 3 Burner



BOIL/T3

CF 30 Burner In Stand



CF301

CF 20 Ring Burner



RCF20-1S

CF 30 2 Ring Burner



RCF30-1S

CF 40 3 Ring Burner



RCF40-1S

CF 50 4 Ring Burner



AT CF50

HP CF80 Burner



No Legs - RCF80 (H)  
With Legs - RCF80

HG201 HP Silver with Pilot



HG201HP

CA7 Cast Iron Strip Burner



BURNER CA7

CA7 S/S Strip Burner



CA7/SS

Griller Cast Iron Burners



GRILL/BURNER01



**Griller Radiant Cover For Burner**

RAD01

**Breakfast Plate 25x40**

PBES7521

**Griddle Plate 260 x 420 With Handle**

CS2642

**Griddle Plate 380 x 230**

NS

**Griddle Plate**38x23cm - NS  
50x23cm - NS2**Griddle Pan 5-In-One W/ Divisions**

5-1PAN

**Potjie Pot - Bread Pot Including Lid**

ATP EF BRD

**ATLAS Potjie Pot**1/4 - 0025A-1/4  
No 3 - ATPF3P&L  
No 4 - PATL0400P  
No 6 - PATL0600P**Kettle**3lt - ATP KET 03  
5lt - ATP KET 05**Manifold with Hosetail**CF30=ATCF303  
CF40=V40  
CF50=V50**Manifold No Fittings**

CF30 - ATCF-3NF

**Manifold Double Hosetail**

CF30 - AT CF30-3D

**Infrared Burner HD400 Complete**


HD400

**Infrared Burner HD538 Complete**

HD538

**Infrared Burner HD220 Complete**

HD220

**Jackwal Cylinder Top Heater**

GM002





**Candy Striped, Pig Split Cuff Gloves**



GPIG

**Green Welders Gloves**



5cm - GGW/2.5  
20cm - GGW/8



**Tig VIP (Argon) Gloves**



85-011505-51

**NFT Pim Coated DIP Grey Gloves**



0B-03-M

**Crayfish Gloves**



GCRAY

**Gripper Blue Palm Rubber**



GGRIP9

**PVC Red Knitted Wrist Gloves**



GPVC/KW

**Heat Resistant Red Glove**



GPREM/HEAT

**Rubber 20cm Glove**



GRL20R

# SAFETY GEAR

**Sporty Specs Green**



DV12C

**Sporty Specs Wrap Around**



DV12C

**Sporty Specs Wrap Around**



DV12C

**Sporty Specs Clear**



DV12G

**Clear Direct Vent Goggles**



DV-11

**Ear Muffs Blue**



EM



### Ear Plugs Corded

MIDI-PC



### QSA Mask (Box of 20)

No Valve - QSA2010  
With Valve - QSA2021



### Respirator Mask Double Cartridge

RES/DB



### Nitrile Powder Free Gloves

GLNSNM3.5



### First Aid Refill Regulation 7

FARF-R7



### Hard Hat Green

HF-SCAPK-W



### Hard Hat Blue

HF-SCAPK-W



### Hard Hat White

HF-SCAPK-W



### Full Body Harness Complete

FBHSCAFF



### Reflective Vest Lime Zip

Sizes S - XXXL



### Apron

FBHSCAFF





Typhoon

Gas & Welding Equipment



**Integrity**



**Follow Trends**



**A Solid Team**





Typhoon

Gas & Welding Equipment

## Contact Details

**Tel:** + 264 81 209 0871

**Address:** 35 Andimba Toivo Ya Toivo Street, Southern Industrial, Windhoek

**Email:** [sales.whk@typhoon.com.na](mailto:sales.whk@typhoon.com.na) | [mgmt.whk@typhoon.com.na](mailto:mgmt.whk@typhoon.com.na)

**Facebook:** [www.facebook.com/typhoongas](https://www.facebook.com/typhoongas)

**PO Box 1626 | Okahandja**

